Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
16.	1	(455/404):CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:21
L2	0	(455/456).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:20
13	1669	(455/566).CCLS:	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:20
L4	1559	(455/414.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:21
L5	1569	(proximit\$5) and (gps with location\$3 with (service\$5 device\$5 pda palm palmtop\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:21
L6	43	(3 4) and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:22
L7	753	(palm\$5 pda mobile\$5 local\$3 cellular\$5 client\$3) with (proximit\$5) with (service\$3 goods)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:24
L8	43	6 and (1 3 4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25

L9	19	7 and (1 3 4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25
L10	10	7 and (1 3 4) and @ad<"20010928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25
S1	2	("6782253").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:35
S2	2	("20030065710").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 19:14
S3	2	("6782253").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:35
S4	1	S3 and (location\$5 gps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 19:24
S5	1561	(proximit\$5) and (gps with location\$3 with (service\$5 device\$5 pda palm palmtop\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:21
S6	16	(proximit\$5) and (gps with location\$3 with (director\$5 database\$5) with (id identificat\$5 identit\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:36

S7	1291	(identificat\$5 id identity) near3 (position\$3 location\$5 geographic\$5) same proximit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:38
S8	72	(identificat\$5 id identity) near3 (position\$3 location\$5 geographic\$5) same proximit\$6 same (service\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:38
S9	15	(identificat\$5 id identity) near3 (position\$3 location\$5 geographic\$5) with proximit\$6 with (service\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:38
S10	10	S9 and @ad<"20010928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 18:49
S12	111	beacon\$3 adj3 defin\$5 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 18:54
S15	2	("20030065710").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 19:14
S21	35	beacon\$3 near4 (location\$3 adj3 (id identity identificat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 19:40

Sign in

News Froogle Local New! Web Images Groups more » Advanced Search Search

"location aware" "services" "proximity"

Preferences

Web

Results 1 - 10 of about 23,900 for "location aware" "services" "proximity". (0.21 seconds)

Free Adapters for IBM WebSphere Everyplace Access (WEA) Location Proximity searching for finding the nearest points-of-interest around a mobile phone ... IBM and ESRI: Location-Aware Services [PDF-1.10 MB, 4 pages] ... www.esri.com/software/arcwebservices/adapters.html - 12k - Cached - Similar pages

IPDFI ESRI and IBM brochure

File Format: PDF/Adobe Acrobat

With location-aware services (LAS) from IBM and ESRI, you serve ... Proximity searching for finding the nearest points of interest ...

www.esri.com/library/brochures/ pdfs/esri-ibm-arcwebservices.pdf - Similar pages

Enabling Technologies for Mobile Gaming

Spotting Your Target—Location-Aware Games; Conclusion ... Today, proximity-based services are used in many European cities to provide information about gas ... www.peachpit.com/articles/ article.asp?p=102276&seqNum=12 - 30k -Cached - Similar pages

[DOC] Location Awareness as a Enabler of Seamless Mobility

File Format: Microsoft Word 2000 - View as HTML

Just as I altered the path I chose to walk after receiving a dodgeball message from Dianne, next generation location-aware services will change the way we ... promo.motorola.com/motofwrd/ pdf/Dennis_Crowley_WP_Format.doc - Similar_pages

[PDF] A Recursive Software Architecture for Location-Aware Services

File Format: PDF/Adobe Acrobat - View as HTML

sion of a set of services, which we term location-aware services, that detect, ... immediate proximity of the statue. Here Bob's PDA contains a passive ... www.dcs.st-and.ac.uk/research/ publications/download/DKM+02.pdf - Similar pages

[PDF] Efficient CNG Indexing in Location-aware Sevices

File Format: PDF/Adobe Acrobat - View as HTML enable a wide range of location-aware services. Current. location-aware services support proximity-basedqueries in-. cluding map viewing and navigation, ... www.cs.iupui.edu/~yxia/CNG.pdf - Similar pages

Location services move into prime time

Location-aware services - providing information, applications and services ... We walked away impressed from what we saw - location-aware services for 2.5 ... www.networkworld.com/edge/ columnists/2003/0401bleed.html - 63k -Cached - Similar pages

Mobile Users Want Location-Aware Services - FindTech Insights

Mobile Users Want Location-Aware Services ... Affordable and Innovative Location-based Services Key to Driving Uptake in the Enterprise Markets ... www.findtechinsights.com/6494/insightDetail.htm - 78k - Cached - Similar pages

[PDF] Proximity Services with the Nimbus Framework

File Format: PDF/Adobe Acrobat

Currently, location-based services, especially proximity services are a ... The application layer contains the actual location-aware application or service. ... dreamteam.fernuni-hagen.de/paper/AC04.pdf - Similar pages

[PDF] BerlinTainment: An Agent-Based Serviceware Framework for Context ...

http://www.google.com/search?hl=en&q=%22location+aware%22+%22services%22+%2... 12/6/05

Sponsored Links

Proximity Services

Our Bluetooth network, enables local services in public venues. www.blipsystems.com

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> declare interest in particular **services** and receive. information about **services** that meet special. criteria, such as **proximity** constraints. For ... www.sigmobile.org/mobisys/2004/ context_awareness/papers/BerlinTainment.pdf - <u>Similar pages</u>


Try searching for "location aware" "services" "proximity" on Google Book Search

Goooooooogle >

Result Page:

1 2 3 4 5 6 7 8 9 10

<u>Next</u>



Free! Instantly find your email, files, media and web history. Download now.

"location aware" "services" "proximit Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

+"identifier" +"identification" +"location" +"current location" +

THE ACH DIGITAL LISRAR

Feedback Report a problem Satisfaction survey

Published before September 2001 Terms used identifier identification location current location services

Found 119 of 120,680

Sort results relevance by Display expanded form results

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 119

Result page: 1 $\frac{2}{3}$ $\frac{4}{4}$ $\frac{5}{5}$ $\frac{6}{6}$ next

Relevance scale

Location-aware mobile applications based on directory services

window

Henning Maass

August 1998 Mobile Networks and Applications, Volume 3 Issue 2

Publisher: Kluwer Academic Publishers

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(421.47 KB) terms

Location-aware applications are becoming increasingly attractive due to the widespread dissemination of wireless networks and the emergence of small and cheap locating technologies. We developed a location information server that simplifies and speeds up the development of these applications by offering a set of generic location retrieval and notification services to the application. The data model and the access protocols of these services are based on the X.500 directory service and the I ...

2 Location-aware mobile applications based on directory services

Henning Maaß

September 1997 Proceedings of the 3rd annual ACM/IEEE international conference on Mobile computing and networking

Publisher: ACM Press

Full text available: pdf(1.59 MB) Additional Information: full citation, references, citings, index terms

Keywords: LDAP, X.500, adaptive applications, directory services, distributed systems, locating systems, location-aware applications, middleware, mobile computing, software architectures, wireless multimedia networks

A scalable location service for geographic ad hoc routing



Jinyang Li, John Jannotti, Douglas S. J. De Couto, David R. Karger, Robert Morris August 2000 Proceedings of the 6th annual international conference on Mobile computing and networking

Publisher: ACM Press

Full text available: pdf(1.28 MB)

Additional Information: full citation, abstract, references, citings, index terms

GLS is a new distributed location service which tracks mobile node locations. GLS combined with geographic forwarding allows the construction of ad hoc mobile networks that scale to a larger number of nodes than possible with previous work. GLS is decentralized and runs on the mobile nodes themselves, requiring no fixed infrastructure. Each mobile node periodically updates a small set of other nodes (its location servers)

Results (page 1): + "identifier" + "identification" + "location" + "current location" + "se... Page 2 of 5

with its current location. A node sends its position updates to its I ...

Location update and routing scheme for a mobile computing environment

Anna Hać, Yujing Huang

July 2000 International Journal of Network Management, Volume 10 Issue 4

Publisher: John Wiley & Sons, Inc.

Full text available: pdf(332.32 KB)

Additional Information: full citation, abstract, references, citings, index terms

We present a new hierarchical location update and routing scheme for a wide area mobile computing environment with scalability of network hierarchy. Our scheme provides nearly optimal routing for most communication bypassing the mobile host's home network and home agent. We use simulation to compare our scheme with other schemes in both non‐ hierarchical and hierarchical network architectures. Copyright © 2000 John Wiley & Sons, Ltd.

Supporting personal mobility for nomadic computing over the internet



Yalun Li, Victor C. M. Leung

April 1997 ACM SIGMOBILE Mobile Computing and Communications Review, Volume 1 Issue 1

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings Full text available: pdf(1.42 MB)

This paper presents a new paradigm for nomadic computing over the Internet called universal personal computing (UPC), where mobile users can access computing resources, network services, and personalized computing environments anywhere using any available terminals. The concept of UPC and system design issues are discussed, and the required system architecture capable of managing different mobile objects, i.e., users and terminals, in the UPC environment is presented. Modifications of connection ...

6 Distributed file systems: concepts and examples



Eliezer Levy, Abraham Silberschatz

December 1990 ACM Computing Surveys (CSUR), Volume 22 Issue 4

Publisher: ACM Press

Full text available: pdf(5.33 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

The purpose of a distributed file system (DFS) is to allow users of physically distributed computers to share data and storage resources by using a common file system. A typical configuration for a DFS is a collection of workstations and mainframes connected by a local area network (LAN). A DFS is implemented as part of the operating system of each of the connected computers. This paper establishes a viewpoint that emphasizes the dispersed structure and decentralization of both data and con ...

7 Agents2Go: an infrastructure for location-dependent service discovery in the mobile electronic commerce environment





Olga Ratsimor, Vladimir Korolev, Anupam Joshi, Timothy Finin

July 2001 Proceedings of the 1st international workshop on Mobile commerce

Publisher: ACM Press

Full text available: pdf(577.27 KB)

Additional Information: full citation, abstract, references, citings, index

In recent years, the growth of Electronic Commerce and Mobile Computing has created a new concept of Mobile Electronic Commerce. In this paper we describe the Agents2Go System that attempts to solve problems related to location dependence that arise in a Mobile Electronic Commerce environment. Agents2Go is a distributed system that provides mobile users with the ability to obtain location dependent services and information. Our system also automatically obtains a user's current geographical I ...

Keywords: access, agents, context dependent, location dependent, mobile information, service discovery

8 Database and location management schemes for mobile communications

Anna Hać, Bo Liu

December 1998 IEEE/ACM Transactions on Networking (TON), Volume 6 Issue 6

Publisher: IEEE Press

Full text available: pdf(264.51 KB) Additional Information: full citation, references, index terms

Keywords: GSM, broadcast, cost, mobility management, partition, routing, switching

9 Papers: Cellular IP: a new approach to Internet host mobility

András G. Valkó

January 1999 ACM SIGCOMM Computer Communication Review, Volume 29 Issue 1

Publisher: ACM Press

Full text available: pdf(1.35 MB) Additional Information: full citation, abstract, references, citings

This paper describes a new approach to Internet host mobility. We argue that by separating local and wide area mobility, the performance of existing mobile host protocols (e.g. Mobile IP) can be significantly improved. We propose Cellular IP, a new lightweight and robust protocol that is optimized to support local mobility but efficiently interworks with Mobile IP to provide wide area mobility support. Cellular IP shows great benefit in comparison to existing host mobility proposals for environm ...

10 Mobile UNITY: reasoning and specification in mobile computing

Gruia-Catalin Roman, Peter J. McCann, Jerome Y. Plun

July 1997 ACM Transactions on Software Engineering and Methodology (TOSEM),

Volume 6 Issue 3

Publisher: ACM Press

Full text available: pdf(406.02 KB)

Additional Information: full citation, abstract, references, citings, index terms

Mobile computing represents a major point of departure from the traditional distributed-computing paradigm. The potentially very large number of independent computing units, a decoupled computing style, frequent disconnections, continuous position changes, and the location-dependent nature of the behavior and communication patterns present designers with unprecedented challenges in the areas of modularity and dependability. So far, the literature on mobile computing is dominated by concerns ...

Keywords: formal methods, mobile UNITY, mobile computing, shared variables, synchronization, transient interactions, weak consistency

11 <u>Dynamic hierarchical database architecture for location management in PCS</u> networks

Joseph S. M. Ho, Ian F. Akyildiz

October 1997 IEEE/ACM Transactions on Networking (TON), Volume 5 Issue 5

Publisher: IEEE Press

Full text available: pdf(292.92 KB) Additional Information: full citation, references, citings, index terms

Keywords: call delivery, directory register, home location register, location registeration, visitor location register

12 A distributed control strategy for wireless ATM networks M. Veeraraghavan, T. F. La Porta, R. Ramjee



http://portal.acm.org/results.cfm?CFID=59448637&CFTOKEN=85677980&adv=1&COLL... 12/6/05

August 1995 Wireless Networks, Volume 1 Issue 3

Publisher: Kluwer Academic Publishers

Full text available: pdf(609.14 KB) Additional Information: full citation, abstract, references, citings

Cellular networks are expected to be upgraded to offer Personal Communication Services (PCS). The mobility management and wireless call control approach used in cellular networks are currently being proposed for use in PCS networks. Recent work indicates that both the signaling load and database update rates caused by these mobility management and call control procedures will increase significantly in next generation PCS networks. In this paper, we propose and analyze a new cluster-based ar ...

13 A new multicasting-based architecture for Internet host mobility

Jayanth Mysore, Vaduvur Bharghavan

September 1997 Proceedings of the 3rd annual ACM/IEEE international conference on Mobile computing and networking

Publisher: ACM Press

Full text available: mpdf(2.08 MB) Additional Information: full citation, references, citings, index terms

14 Global internet roaming with ROAMIP



Zoltán R. Turányi, Csanád Szabó, Eszter Kail

July 2000 ACM SIGMOBILE Mobile Computing and Communications Review, Volume 4

Issue 3

Publisher: ACM Press

Full text available: pdf(1.19 MB) Additional Information: full citation, abstract, index terms

Reachability and session continuity represent two distinct services that global mobility protocols should provide. Reachability is the possibility for Internet hosts to initiate sessions to mobile users. Session continuity refers to mechanisms that ensure that active transport or application layer sessions are not broken due to mobility. We present ROAMIP, a global mobility architecture that uses application layer solutions for global reachability and reuses transparent Mobile IP tunnelling mech ...

15 Interworking between Digital European Cordless Telecommunications and a distributed packet switch



Sudarshan Rao, David J. Goodman, Gregory P. Pollini, Kathleen S. Meier-Hellstern February 1995 Wireless Networks, Volume 1 Issue 1

Publisher: Kluwer Academic Publishers

Full text available: mpdf(1.01 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

The Digital European Cordless Telecommunications (DECT) standard specifies an air interface. DECT requires an external infrastructure to transfer information between wireless terminals, and to transfer information between a wireless terminal and a fixed network. The Public Switched Telephone Network, the GSM Cellular Network, Private Branch Exchanges and mobile data networks are all under investigation as DECT backbone networks. In this paper we look to the future and describe interworking ...

16 Status report of the graphic standards planning committee





Publisher: ACM Press

Full text available: pdi(15.01 MB) Additional Information: full citation, references, citings

Language and distributed system support for complex organizational services



Alexander Schill, Ashok Malhotra

October 1991 ACM SIGOIS Bulletin, Conference proceedings on Organizational

computing systems COCS '91, Volume 12 Issue 2-3

Publisher: ACM Press

Full text available: R pdf(1.24 MB) Additional Information: full citation, references, citings, index terms

18 Active tracking: locating mobile users in personal communication service networks

Hanoch Levy, Zohar Naor

December 1999 Wireless Networks, Volume 5 Issue 6

Publisher: Kluwer Academic Publishers

Full text available: pdf(168.18 KB) Additional Information: full citation, references, citings, index terms

19 A cost effective distributed location management strategy for wireless networks Kuochen Wang, Jung Huey



July 1999 Wireless Networks, Volume 5 Issue 4

Publisher: Kluwer Academic Publishers

Full text available: pdf(190.47 KB) Additional Information: full citation, abstract, references, index terms

The mobility feature of mobile stations (MSs) imposes a large burden on network traffic control as a result of location management. Design issues of location management include MS registration (updating) and call set-up (paging). Previous approaches introduced several network topologies for updating and paging procedures, but most of them focused on a single problem; either updating optimization or paging optimization. In this paper, we design and integrate two mechanisms, distributed tempo ...

20 Multicast support for mobile hosts using mobile IP: design issues and proposed architecture



Vineet Chikarmane, Carey L. Williamson, Richard B. Bunt, Wayne L. Mackrell December 1998 Mobile Networks and Applications, Volume 3 Issue 4

Publisher: Kluwer Academic Publishers

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(268.04 KB) terms

In this paper, we consider the problem of providing multicast to mobile hosts using Mobile IP for network routing support. Providing multicast in an internetwork with mobile hosts is made difficult because many multicast protocols are inefficient when faced with frequent membership or location changes. This basic difficulty can be handled in a number of ways, but three main problems emerge with most solutions. The tunnel convergence problem, the duplication problem, and the scoping problem ...

Results 1 - 20 of 119

Result page: **1** $\underline{2}$ $\underline{3}$ $\underline{4}$ $\underline{5}$ $\underline{6}$ next

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library C The Guide

+"location aware" +"services" +"devices" +"goods"



HEACH DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Published before September 2001 Terms used location aware services devices goods

Found 28 of 120,680

Sort results

relevance by

Save results to a Binder

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form

Open results in a new window

Results 1 - 20 of 28

Result page: 1 2

Relevance scale 🔲 📟 📟 🖀

Realms and states: a framework for location aware mobile computing Ajith K. Narayanan



July 2001 Proceedings of the 1st international workshop on Mobile commerce

Publisher: ACM Press

Full text available: pdf(548.46 KB)


Additional Information: full citation, abstract, references, citings, index terms

Location awareness is an important part of context-aware mobile computing. We present the idea of logical location contexts which provides enhanced privacy and supports specialized notions of distance, and offers a paradigm that unifies location with other types of context. This is developed in the form of a framework consisting of realms, which are collections of spatial states, with realm-maps providing mappings between realms. The lowest realm relies on raw (physical) location. Multiple ar ...

Keywords: context aware, context service, location aware, location privacy, location service, mobile computing, realms

2 An approach to providing a seamless end-user experience for location-aware





Sastry Duri, Alan Cole, Jonathan Munson, Jim Christensen

July 2001 Proceedings of the 1st international workshop on Mobile commerce

Publisher: ACM Press

Full text available: pdf(515.40 KB)

Additional Information: full citation, abstract, references, citings, index terms

With an increasing number of businesses considering the possibility of launching locationaware, mobile commerce applications, the quality of the end-user experience will become more and more critical. We propose dynamic bookmarks and location domains as mechanisms to give consumers simple and straightforward access to a dynamically changing set of location-based services. Dynamic bookmarks are descriptions of services, which are bound to actual, registered, services as a user's ...

Keywords: dynamic bookmark, location domain, location-aware applications, locationbased services, mobile commerce, mobile computing

Location-aware mobile applications based on directory services Henning Maass

August 1998 Mobile Networks and Applications, Volume 3 Issue 2

Publisher: Kluwer Academic Publishers



Full text available: pdf(421.47 KB) Additional Information: full citation, abstract, references, citings, index terms

Location-aware applications are becoming increasingly attractive due to the widespread dissemination of wireless networks and the emergence of small and cheap locating technologies. We developed a location information server that simplifies and speeds up the development of these applications by offering a set of generic location retrieval and notification services to the application. The data model and the access protocols of these services are based on the X.500 directory service and the 1...

4 Charting past, present, and future research in ubiquitous computing



Gregory D. Abowd, Elizabeth D. Mynatt

March 2000 ACM Transactions on Computer-Human Interaction (TOCHI), Volume 7 Issue

Publisher: ACM Press

Full text available: ndf(730.83 KB)

Additional Information: full citation, abstract, references, citings, index terms

The proliferation of computing into the physical world promises more than the ubiquitous availability of computing infrastructure; it suggest new paradigms of interaction inspired by constant access to information and computational capabilities. For the past decade, application-driven research on abiquitous computing (ubicomp) has pushed three interaction themes: natural interfaces, context-aware applications, and automated capture and access. To chart a cours ...

Keywords: augmented reality, capture and access, context-aware applications, evaluation, everyday computing, natural interfaces, social implications, ubiquitous computing, user interfaces

Software engineering issues for ubiquitous computing



May 1999 Proceedings of the 21st international conference on Software engineering


Publisher: IEEE Computer Society Press

Full text available: pdf(1.29 MB)

Additional Information: full citation, references, citings, index terms

Keywords: automated capture, component integration, context-aware computing, software structure, toolkit design, transparent interfaces, ubiquitous computing

Communication through virtual active objects overlaid onto the real world



September 2000 Proceedings of the third international conference on Collaborative virtual environments

Publisher: ACM Press

Full text available: pdf(1.46 MB)

Additional Information: full citation, references, citings, index terms

Keywords: CVE architecture, augmented reality, autonomous agents, community computing, mobile systems, overlaid virtual systems, virtual pets

7 A product location framework for mobile commerce environment

Karlene Cousins, Upkar Varshney

July 2001 Proceedings of the 1st international workshop on Mobile commerce

Publisher: ACM Press

Full text available: pdf(372.17 KB)

Additional Information: full citation, abstract, references, citings, index

Recent advances in wireless networking, mobile technologies, and applications have led to the emergence of mobile commerce. As many of these applications require location tracking of products, users, and services, support for location management has become a major issue in m-commerce. Although some progress has been made in adding location support in business to consumer (B2C) m-commerce, very little work has been done towards addressing these issues in the business to business (B2B) environm ...

Keywords: B2B framework, location management, mobile commerce, wireless networking

Location based services in a wireless WAN using cellular digital packet data (CDPD)





Rittwik Jana, Theodore Johnson, S. Muthukrishnan, Andrea Vitaletti May 2001 Proceedings of the 2nd ACM international workshop on Data engineering for wireless and mobile access

Publisher: ACM Press

Full text available: pdf(394.15 KB)

Additional Information: full citation, abstract, references, citings, index

This paper shows how a standard mobile data technology, Cellular Digital Packet Data (CDPD), can be used to localize mobile data users, and provide location based services. We present a location determination system that is handset-based. Using CDPD and modern protocols, this system extracts the location of the users up to the cell site coverage in the network; it also exposes this location information to the application layer. We have implemented a prototype of the entire system; it works nat ...

Cyberguide: a mobile context-aware tour guide



Gregory D. Abowd, Christopher G. Atkeson, Jason Hong, Sue Long, Rob Kooper, Mike **Pinkerton**

October 1997 Wireless Networks, Volume 3 Issue 5

Publisher: Kluwer Academic Publishers

Full text available: pdf(596.81 KB)

Additional Information: full citation, abstract, references, citings, index

Future computing environments will free the user from the constraints of the desktop. Applications for a mobile environment should take advantage of contextual information, such as position, to offer greater services to the user. In this paper, we present the Cyberquide project, in which we are building prototypes of a mobile context-aware tour guide. Knowledge of the user's current location, as well as a history of past locations, are used to provide more of the kind of services that we co ...

10 Software engineering for mobility: a roadmap



Gruia-Catalin Roman, Gian Pietro Picco, Amy L. Murphy

May 2000 Proceedings of the Conference on The Future of Software Engineering

Publisher: ACM Press

Full text available: ndf(2.07 MB) Additional Information: full citation, references, citings, index terms

11 Vision impairment and related assistive technologies: Adaptive tools for the elderly:



new devices to cope with age-induced cognitive disabilities

Joaquim A Jorge

May 2001 Proceedings of the 2001 EC/NSF workshop on Universal accessibility of ubiquitous computing: providing for the elderly

Publisher: ACM Press

Full text available: pdf(567.94 KB) Additional Information: full citation, abstract, references, index terms

We look at the issues and methodologies needed to develop, deploy, and evaluate situation-aware mobile computing devices that adapt to the needs of elder users based on observed or predicted user behavior and needs. This paper discusses how pervasive computing can help the aging population live independently for as long as possible. We

Page 4 of 6

believe that successfully applying technology to this problem will require careful studies of how the target population actually lives and what their actual needs ...

Keywords: HCI, age-induced cognitive disabilities, mobile assistants, ubiquitous computing

12 A mobile virtual-distributed system architecture for supporting wireless mobile





computing and communications

George Liu, Alexander Marlevi, Gerald Q. Maguire

December 1995 Proceedings of the 1st annual international conference on Mobile computing and networking

Publisher: ACM Press

Full text available: pdf(876.34 KB) Additional Information: full citation, references, citings, index terms

13 Agents2Go: an infrastructure for location-dependent service discovery in the mobile





electronic commerce environment

Olga Ratsimor, Vladimir Korolev, Anupam Joshi, Timothy Finin

July 2001 Proceedings of the 1st international workshop on Mobile commerce

Publisher: ACM Press

Full text available: pdf(577.27 KB)

Additional Information: full citation, abstract, references, citings, index

In recent years, the growth of Electronic Commerce and Mobile Computing has created a new concept of Mobile Electronic Commerce. In this paper we describe the Agents2Go System that attempts to solve problems related to location dependence that arise in a Mobile Electronic Commerce environment. Agents2Go is a distributed system that provides mobile users with the ability to obtain location dependent services and information. Our system also automatically obtains a user's current geographical I ...

Keywords: access, agents, context dependent, location dependent, mobile information, service discovery

14 Multi-sensor location tracking





Ulf Leonhardt, Jeff Magee

October 1998 Proceedings of the 4th annual ACM/IEEE international conference on Mobile computing and networking

Publisher: ACM Press

Full text available: pdf(1.20 MB)

Additional Information: full citation, references, citings, index terms

Keywords: location service, location tracking, open distributed systems, sensor fusion

15 A service framework for carrier grade multimedia services using PARPLAY APIs over





a SIP system

Rudolf Pailer, Johannes Stadler

July 2001 Proceedings of the first workshop on Wireless mobile internet

Publisher: ACM Press

Full text available: pdf(713.19 KB) Additional Information: full citation, abstract, references, index terms

The implementation of new mobile communication technologies developed in the third generation partnership project (3GPP) will allow to access the Internet not only from a PC but also via mobile phones, palmtops and other devices. New applications will emerge, combining several basic services like voice telephony, e-mail, voice over IP, mobility or web-browsing, and thus wiping out the borders between the fixed telephone network,

mobile radio and the Internet. Offering those value-added s ...

Keywords: SIR-PARLAY mapping, caller preferences, carrier grade services, networkindependent services, service platform

16 Rapid prototyping of mobile context-aware applications: the Cyberguide case study



Sue Long, Rob Kooper, Gregory D. Abowd, Christopher G. Atkeson

November 1996 Proceedings of the 2nd annual international conference on Mobile computing and networking

Publisher: ACM Press

Full text available: pdf(1.22 MB) Additional Information: full citation, references, citings, index terms

17 Mobile-awareness: designing for mobile interactive systems





April 2001 ACM SIGGROUP Bulletin, Volume 22 Issue 1

Publisher: ACM Press

Full text available: pdf(776.08 KB) Additional Information: full citation, references, index terms, review

18 Exploiting location information for infostation-based hoarding



Uwe Kubach, Kurt Rothermel

July 2001 Proceedings of the 7th annual international conference on Mobile computing and networking

Publisher: ACM Press

Full text available: pdf(586.67 KB)

Additional Information: full citation, abstract, references, citings, index terms

With the increasing popularity of mobile computing devices, the need to access information in mobile environments has grown rapidly. Since the information has to be accessed over wireless networks, mobile information systems often have to deal with problems like low bandwidth, high delay, and frequent disconnections. Information hoarding is a method that tries to overcome these problems by transferring information, which the user will probably need, in advance. The hoarding mechanism that we ...

19 GPS-based geographic addressing, routing, and resource discovery



Tomasz Imieliński, Julio C. Navas April 1999 Communications of the ACM, Volume 42 Issue 4

Publisher: ACM Press

html(32.72 KB)

Full text available: pdf(329.24 KB) Additional Information: full citation, references, citings, index terms,

review

20 NETMAN: the design of a collaborative wearable computer system

Gerd Kortuem, Martin Bauer, Zary Segall

March 1999 Mobile Networks and Applications, Volume 4 Issue 1

Publisher: Kluwer Academic Publishers

Full text available: pdf(551.57 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper presents a wearable groupware system designed to enhance the communication and cooperation of highly mobile network technicians. It provides technicians in the field with the capabilities for real-time audio-conferencing, transmission of video images back to the office, and context-sensitive access to a shared notebook. An infrared location-tracking device allows for the automatic retrieval of notebook entries depending on the user's current location.

Results (page 1): + "location aware" + "services" + "devices" + "goods"

Page 6 of 6

Results 1 - 20 of 28

Result page: 1 2 next

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((location <in>metadata)</in>	<and></and>	(aware <in>metadata</in>)	(services<"
Your search matched 28 of 1278046 doc	umente			

e-mail and printer triendly

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Search O	ptions	Modi	lly Search				
<u>View Session History</u> <u>New Search</u>		((((location <in>metadata) <and> (aware<in>metadata))<and> (services<in>metadata) ></in></and></in></and></in>					
Key							
IEEE JNL	IEEE Journal or Magazine	Select	Article Information 1-25 26-28				
IEE JNL	IEE Journal or Magazine	****	4. A modular location aware comics and application platform				
IEEE CNF	IEEE Conference Proceeding	.	 A modular location-aware service and application platform Pfeifer, T.; Popescu-Zeletin, R.; Computers and Communications, 1999. Proceedings. IEEE International Symposium on 				
IEE CNF IEE Conference Proceeding		•	6-8 July 1999 Page(s):137 - 148 Digital Object Identifier 10.1109/ISCC.1999.780788				
IEEE STD	IEEE Standard		AbstractPlus Full Text: PDE(1544 KB) 1EEE CNF				
			 CRUMPET: creation of user-friendly mobile services personalised for tourism Poslad, S.; Laamanen, H.; Malaka, R.; Nick, A.; Buckle, P.; Zipl, A.; 3G Mobile Communication Technologies, 2001. Second International Conference on (Conf. Publ. No. 477) 26-28 March 2001 Page(s):28 - 32 				
			AbstractPlus Full Text: PDF(476 KB)				
			3. Optimal geolocation updating for location aware service provisioning in wireless networks Tekinay, S.; Catovic, A.; Vehicular Technology Conference, 2001. VTC 2001 Spring. IEEE VTS 53rd Volume 4, 6-9 May 2001 Page(s):2600 - 2604 vol.4 Digital Object Identifier 10.1109/VETECS.2001.944071				
			AbstractPlus Full Text: PDF(396 KB) #### CNF				
		П	4. The mobility management and authentication/authorization mechanisms in mobile networks beyond 3G Dell'Uomo, L.; Scarrone, E.; Personal, Indoor and Mobile Radio Communications, 2001 12th IEEE International Symposium on Volume 1, 30 Sept3 Oct. 2001 Page(s):C-44 - C-48 vol.1 Digital Object Identifier 10.1109/PIMRC.2001.965459 AbstractPlus Full Text: PDF(868 KB) IEEE CNF				
		****	5. Geolocation updating schemes for location aware services in wireless networks				

5. Geolocation updating schemes for location aware services in wireless networks

Catovic, A.; Tekinay, S.;

Military Communications Conference, 2001. MILCOM 2001. Communications for Network-

Centric Operations: Creating the Information Force. IEEE

Volume 1, 28-31 Oct. 2001 Page(s):378 - 382 vol.1 Digital Object Identifier 10.1109/MILCOM.2001.985823

AbstractPlus | Full Text: PDF(311 KB) | IEEE CNF

6. LocALE: a location-aware lifecycle environment for ubiquitous computing Lopez de Ipina, D.; Lo, S.-L.;

Information Networking, 2001. Proceedings. 15th International Conference on 31 Jan.-2 Feb. 2001 Page(s):419 - 426 Digital Object Identifier 10.1109/ICOIN.2001.905460 AbstractPlus | Full Text: PDF(672 KB) IEEE CNF 7. Integrating mobile agent infrastructures with CORBA-based distributed multimedia applications Bellavista, P.; Corradi, A.; Cotroneo, D.; Russo, S.; Parallel and Distributed Processing, 2001. Proceedings. Ninth Euromicro Workshop on 7-9 Feb. 2001 Page(s):121 - 128 Digital Object Identifier 10.1109/EMPDP.2001.905034 AbstractPlus | Full Text: PDF(916 KB) IEEE CNF 8. Context-sensitive middleware for real-time software in ubiquitous computing _ environments Yau, S.S.; Karim, F.; Object-Oriented Real-Time Distributed Computing, 2001. ISORC - 2001. Proceedings. Fourth IEEE International Symposium on 2-4 May 2001 Page(s):163 - 170 Digital Object Identifier 10.1109/ISORC.2001.922833 AbstractPlus | Full Text: PDF(712 KB) IEEE CNF 9. A mobile-agent based distributed intelligent control system architecture for home automation Qinglong Wu; Fei-Yue Wang; Yuetong Lin; Systems, Man, and Cybernetics, 2001 IEEE International Conference on Volume 3, 7-10 Oct. 2001 Page(s):1599 - 1605 vol.3 Digital Object Identifier 10.1109/ICSMC.2001.973513 AbstractPlus | Full Text: PDF(511 KB) | IEEE CNF 10. A mobile-agent based distributed intelligent control system architecture for home automation Qinglong Wu; Fei-Yue Wang; Yuetong Lin; Systems, Man, and Cybernetics, 2001 IEEE International Conference on Volume 3, 7-10 Oct. 2001 Page(s):1648 - 1653 vol.3 Digital Object Identifier 10.1109/ICSMC.2001.973521 AbstractPlus | Full Text: PDF(435 KB) IEEE CNF 11. Improving level of service for mobile users using context-awareness Couderc, P.; Kermarrec, A.-M.; Reliable Distributed Systems, 1999. Proceedings of the 18th IEEE Symposium on 19-22 Oct. 1999 Page(s):24 - 33 Digital Object Identifier 10.1109/RELDIS.1999.805080 AbstractPlus | Full Text: PDF(92 KB) | IEEE CNF 12. SpaceTag: an overlaid virtual system and its applications Tarumi, H.; Morishita, K.; Nakao, M.; Kambayashi, Y.; Multimedia Computing and Systems, 1999. IEEE International Conference on Volume 1, 7-11 June 1999 Page(s):207 - 212 vol.1 Digital Object Identifier 10.1109/MMCS.1999.779193 AbstractPlus | Full Text: PDF(544 KB) | IEEE CNF 13. Open mobility management platform with directory-based architecture and signalling protocols Maass, H.; Open Architectures and Network Programming, 1998 IEEE 3-4 April 1998 Page(s):72 - 87 Digital Object Identifier 10.1109/OPNARC.1998.662045 AbstractPlus | Full Text: PDF(1292 KB) | IEEE CNF _

A predictive mobility management algorithm for wireless mobile computing and

communications

Liu, G.Y.; Maguire, G.Q., Jr.; Universal Personal Communications. 1995. Record., 1995 Fourth IEEE International Conference on 6-10 Nov. 1995 Page(s):268 - 272 Digital Object Identifier 10.1109/ICUPC.1995.496902 AbstractPlus | Full Text: PDE(464 KB) REEE CNF 15. Network architecture for IP/PSTN/3G integration: the WINE GLASS proposal Costa, I.; Geuna, G.; 3G Mobile Communication Technologies, 2001. Second International Conference on (Conf. Publ. No. 477) 26-28 March 2001 Page(s):330 - 334 AbstractPlus | Full Text: PDF(516 KB) | IEE CNF 16. Novel and enhanced mobile Internet protocol for third generation cellular environments compared to MIP and MIP-LR Yap, C.N.; Kraner, M.; Fikouras, N.A.; Cvetkovic, S.R.; 3G Mobile Communication Technologies, 2000. First International Conference on (IEE Conf. Publ. No. 471) 27-29 March 2000 Page(s):143 - 147 AbstractPlus | Full Text: PDF(452 KB) IEE CNF 17. Disseminating active map information to mobile hosts Schilit, B.N.; Theimer, M.M.; Network, IEEE Volume 8, Issue 5, Sept.-Oct. 1994 Page(s):22 - 32 Digital Object Identifier 10.1109/65.313011 AbstractPlus | Full Text: PDF(1492 KB) | IEEE JNL 18. A distributed location system for the active office Harter, A.; Hopper, A.; Network, IEEE Volume 8, Issue 1, Jan.-Feb. 1994 Page(s):62 - 70 Digital Object Identifier 10.1109/65.260080 AbstractPlus | Full Text: PDF(1556 KB) IEEE JNL 19. The wireless segment of enterprise networking Chlamtac, I.; Khasnabish, B.; Yi-Bing Lin; Network, IEEE Volume 12, Issue 4, July-Aug. 1998 Page(s):50 - 55 Digital Object Identifier 10.1109/65.713356 AbstractPlus | Full Text: PDF(2128 KB) | IEEE JNL 20. Position aware group information services Lenaghan, A.; Schiefer, A.; Malyan, R.; Colbert, M.; EUROCON'2001, Trends in Communications, International Conference on. Volume 2, 4-7 July 2001 Page(s):341 - 344 vol.2 Digital Object Identifier 10.1109/EURCON.2001.938130 AbstractPlus | Full Text: PDF(320 KB) IEEE CNF 21. Location-based VAS: killer applications for the next-generation mobile Internet Mihovska, A.; Pereira, J.M.; Personal, Indoor and Mobile Radio Communications, 2001 12th IEEE International Symposium Volume 1, 30 Sept.-3 Oct. 2001 Page(s):B-50 - B-54 vol.1 Digital Object Identifier 10.1109/PIMRC.2001.965429 AbstractPlus | Full Text: PDF(474 KB) | IEEE CNF Resource placement in distributed E-commerce servers Gama, G.M.C.; Meira, W., JR; Carvalho, M.L.B.; Guedes, D.O.; Almeida, V.A.F.; Global Telecommunications Conference, 2001. GLOBECOM '01. IEEE

Volume 3, 25-29 Nov. 2001 Page(s):1677 - 1682 vol.3

Digital Object Identifier 10.1109/GLOCOM.2001.965865

AbstractPlus | Full Text: PDF(96 KB) | IEEE CNF

23. The Roma personal metadata service

Swierk, E.; Kiciman, E.; Laviano, V.; Baker, M.;

Mobile Computing Systems and Applications, 2000 Third IEEE Workshop on.

7-8 Dec. 2000 Page(s):107 - 116

Digital Object Identifier 10.1109/MCSA.2000.895386

AbstractPlus | Full Text: PDF(676 KB) IEEE CNF

24. RADAR: an in-building RF-based user location and tracking system

Bahl, P.; Padmanabhan, V.N.;

INFOCOM 2000. Nineteenth Annual Joint Conference of the IEEE Computer and

Communications Societies. Proceedings. IEEE

Volume 2, 26-30 March 2000 Page(s):775 - 784 vol.2

Digital Object Identifier 10.1109/INFCOM.2000.832252

AbstractPlus | Full Text: PDF(916 KB) IEEE CNF

25. Mobile Internet access and QoS guarantees using mobile IP and RSVP with location

registers

Jain, R.; Raleigh, T.; Graff, C.; Bereschinsky, M.; Communications, 1998. ICC 98. Conference Record.1998 IEEE International Conference on

Volume 3, 7-11 June 1998 Page(s):1690 - 1695 vol.3

Digital Object Identifier 10.1109/ICC.1998.683118

AbstractPlus | Full Text: PDF(592 KB) IEEE CNF

1-25 | 26-28

Help Contact Us Privacy & Security IEEE.org

Copyright 2005 IEEE - All Rights Reserved

I Inspec